STORMWATER OPERATION AND MAINTENANCE AGREEMENT AND SECURITY

Project Name:		
Town Project Number:		
Town BMP ID:		
PIN Number:		
Mail after recording to:	Town of Morrisville Engineering Department 100 Town Hall Drive Morrisville, NC 27560	
NORTH CAROLINA		
WAKE COUNTY		
This STORMWATER	OPERATION AND MAINTENAN	CE AGREEMENT AND SECURITY
made this day	of, 20)
by		
	s is	
with, to, and for the ber	nefit of the Town of Morrisville, a m	unicipal corporation of the State
of North Carollia, who	se address is 100 10wii fiail Drive, i	violitsville, North Carollila 2/300.

Dry Extended Detention Basin Operation and Maintenance Agreement

I will keep a maintenance record on this BMP. This maintenance record will be kept in a log in a known set location. Any deficient BMP elements noted in the inspection will be corrected, repaired or replaced immediately. These deficiencies can affect the integrity of structures, safety of the public, and the removal efficiency of the BMP.

The dry extended detention basin system is defined as the dry detention basin, outlet structure, pretreatment including forebays and the vegetated filter if one is provided.

This system (check one): ☐ does ☐ does not	incorporate a vegetated filter at the outlet.
This system (check one): ☐ does ☐ does not	incorporate pretreatment other than a forebay.

Important maintenance procedures:

- The drainage area will be managed to reduce the sediment load to the dry extended detention basin.
- Immediately after the dry extended detention basin is established, the vegetation will be watered twice weekly if needed until the plants become established (commonly six weeks).
- No portion of the dry extended detention pond will be fertilized after the first initial fertilization that is required to establish the vegetation.
- I will maintain the vegetation in and around the basin at a height of approximately six inches.
- Once a year, a dam safety expert will inspect the embankment.

After the dry extended detention basin is established, it will be inspected **once a quarter and within 24 hours after every storm event greater than 1.0 inches**. Records of operation and maintenance will be kept in a known set location and will be available upon request.

Inspection activities shall be performed as follows. Any problems that are found shall be repaired immediately.

BMP element:	Potential problem:	How I will remediate the problem:
The entire BMP	Trash/debris is present.	Remove the trash/debris.
	Weeds, cattails, or other invasive	Remove the plants by hand or by
	plants are present.	wiping them with herbicide (do not
		spray).
The perimeter of the dry	Areas of bare soil and/or erosive	Regrade the soil if necessary to remove
extended detention basin	gullies have formed.	the gully, and then plant a ground cover and water until it is established.
		Provide lime and a one-time fertilizer
		application.

BMP element:	Potential problem:	How I will remediate the problem:
The inlet device: pipe or	The pipe is clogged (if	Unclog the pipe. Dispose of the
swale	applicable).	sediment off-site.
	The pipe is cracked or otherwise	Replace the pipe.
	damaged (if applicable). Erosion is occurring in the swale	Regrade the swale if necessary to
	(if applicable).	smooth it over and provide erosion
	(II applicable).	control devices such as reinforced turf
		matting or riprap to avoid future
		problems with erosion.
The forebay	Sediment has accumulated and	Search for the source of the sediment
The forebuy	reduced the depth to 75% of the	and remedy the problem if possible.
	original design depth (see	Remove the sediment and dispose of it
	diagram below).	in a location where it will not cause
	diagram selow).	impacts to streams or the BMP.
	Erosion has occurred or riprap is	Provide additional erosion protection
	displaced.	such as reinforced turf matting or riprap
	P.44-5-4.	if needed to prevent future erosion
		problems.
	Weeds are present.	Remove the weeds, preferably by hand.
	······································	If herbicides are used, wipe them on the
		plants rather than spraying.
The main treatment area	Sediment has accumulated and	Search for the source of the sediment
	reduced the depth to 75% of the	and remedy the problem if possible.
	original design depth (see	Remove the sediment and dispose of it
	diagram below).	in a location where it will not cause
	,	impacts to streams or the BMP.
		Revegetate disturbed areas immediately
		with sod (preferred) or seed protected
		with securely staked erosion mat.
	Water is standing more than 5	Check outlet structure for clogging. If
	days after a storm event.	it is a design issue, consult an
		appropriate professional.
The embankment	Shrubs or trees have started to	Remove shrubs or trees immediately.
	grow on the embankment.	
	Grass cover is unhealthy or	Restore the health of the grass cover –
	eroding.	consult a professional if necessary.
	Signs of seepage on the	Consult a professional.
	downstream face.	
	Evidence of muskrat or beaver	Use traps to remove muskrats and
	activity is present.	consult a professional to remove
		beavers.
	An annual inspection by an	Make all needed repairs.
	appropriate professional shows	
	that the embankment needs	
Th41.4 d. *	repair.	
The outlet device	Clogging has occurred.	Clean out the outlet device. Dispose of
		the sediment off-site.
701 · ·	The outlet device is damaged	Repair or replace the outlet device.
The receiving water	Erosion or other signs of damage	Contact the Stormwater Division of the
	have occurred at the outlet.	Town of Morrisville Engineering
		Department at 919-463-7025.

BMP Operation and Maintenance Security

Performance Security

The Town of Morrisville requires the submittal of a performance security prior to issuance of a permit in order to ensure that the *structural BMP*s are

- 1. installed by the permit holder as required by the approved stormwater management plan, and/or
- 2. maintained by the *owner* as required by the operation and maintenance agreement.

Installation Amount

The amount of an installation performance security shall be the total estimated construction cost of the BMPs approved under the permit, plus 25%.

General Requirements

- 1. This agreement grants to the Town of Morrisville a right of entry to inspect, monitor, maintain, repair, and reconstruct *structural BMP*s.
- 2. The Town of Morrisville is authorized to recover from the property owner and/or association and its members, any and all costs the Town of Morrisville expends to maintain or repair the *structural BMP*s or to correct any operational deficiencies. Failure to pay the Town of Morrisville all of its expended costs, after forty-five days written notice, shall constitute a breach of the agreement. The Town of Morrisville shall thereafter be entitled to bring an action against the property owner and/or association and its members to pay, or foreclose upon the lien hereby authorized by the agreement against the property, or both, in case of a deficiency. Interest, collection costs, and attorney fees shall be added to the recovery.
- 3. This agreement shall not obligate the Town of Morrisville to maintain or repair any *structural BMP*s, and the Town of Morrisville shall not be liable to any person for the condition or operation of *structural BMP*s.
- 4. This agreement shall not in any way diminish, limit, or restrict the right of the Town of Morrisville to enforce any of its ordinances as authorized by law.
- 5. The property owner and/or association and its members indemnifies and holds harmless the Town of Morrisville for any costs and injuries arising from or related to the structural BMP, unless the Town of Morrisville has agreed in writing to assume the maintenance responsibility for the BMP and has accepted dedication of any and all rights necessary to carry out that maintenance.
- 6. The property owner and/or association shall continuously operate and maintain the stormwater control and management facilities.

Uses of Performance Security

1. Forfeiture Provisions

The performance security shall contain forfeiture provisions for failure, after proper notice, to complete work within the time specified, or to initiate or maintain any actions which may be required of the applicant or *owner* in accordance with this ordinance, approvals issued

pursuant to this ordinance, or an operation and maintenance agreement established pursuant to this ordinance.

2. Default

Upon default of the *owner* to construct and, if necessary, reconstruct any *structural BMP* in accordance with the applicable permit, the Stormwater Administrator shall obtain and use all or any portion of the security to make necessary improvements based on an engineering estimate. Such expenditure of funds shall only be made after requesting the *owner* to comply with the permit.

3. Costs in Excess of Performance Security

If the Town of Morrisville takes action upon such failure by the applicant or *owner*, the Town of Morrisville may collect from the applicant or *owner* for the difference should the amount of the reasonable cost of such action exceed the amount of the security held.

4. Refund

After the Town's final approval of record drawings, as-builts and certifications, the installation performance security shall be refunded to the applicant or terminated, in accordance with the Town of Morrisville Unified Development Ordinance (UDO) and Engineering Design and Construction Manual (EDCM).

I acknowledge and agree by my signature below that I am responsible for the performance of the maintenance procedures listed above. I agree to notify the Town of Morrisville of any problems with the system or prior to any changes to the system or responsible party.

Project name:	
· ·	
Print name:	
Title:	
Address:	
Phone:	
Date:	
	d not be a homeowners association unless more than 50% of ent of the subdivision has been named the president.
I,	, a Notary Public for the State of
, County of	, do hereby certify that
	personally appeared before me this
	_, and acknowledge the due execution of the
forgoing dry detention basin mainten	nance requirements. Witness my hand and official
seal,	
SEAL	
My commission expires	

	Town of Morrisville, North Carolina	
	Signature: Print Name: Title:	
Acknowledgment of Town of M	forrisville:	
Wake County, North Carolina		
I certify that the following person personally appeared before me this day and acknowledged to		
me that he or she executed the foregoing document on behalf of the Town of Morrisville in the		
capacity indicated with his or her signature:		
Date:(affix notary seal or stamp here)		
	Notary Public	
	Printed/Typed Name:	
	My Commission Expires:	